Hisense



Help Hisense improve the environment by reducing paper waste. For detailed instructions and feature descriptions, access the full User Manual online. Before using the TV, please read this guide carefully and keep it for future reference.

English

Congratulations on the purchase of your Hisense TV! If you would like to know 'all things Hisense', contact us using the support info:

The model and serial number of the TV is located on the back and/or on one side of the TV. We recommend that you record this if you ever need service.

Country	U.S.A	CANADA	MEXICO
Customer Care Center	 Phone: 1-888-935- 8880 Hours of Operation: Monday - Friday: 9 AM to 9 PM EST Saturday - Sunday: 9 AM to 6 PM EST Service@hisense- usa.com USA: Hisense USA Corporation 105 Satellite BLVD Suite I, Suwanee, GA 30024 	 Phone: 1-855-344-7367 Hours of Operation: Monday - Friday: 8 AM to 8 PM EST Saturday - Sunday: 9 AM to 6 PM EST, Federal holidays excluded Service Email: canadasupport@ hisense.com CANADA: Hisense Canada Co., Ltd 2283 Argentia Road, Unit 16 Mississauga, ON, Canada L5N 5Z2 	 Phone: 800-008-8880 Hours of Operation: Monday - Friday: 9:00- 21:00 hrs Saturday: 9:00-15:00 hrs Service Email: servicio@hisense.com. mx MEXICO IMPORTER: Hisense Mexico S. de R.L. de C.V. Blvd. Miguel de Cervantes Saavedra No 301 Torre Norte Piso 2, Col. Ampliación Granada Miguel Hidalgo, Ciudad de México, C.P. 11520
Hisense Support Page	http://www.hisense- usa.com/support/	http://www.hisense- canada.com/support/	https://hisense.com.mx/ support/
Register your TV	http://www.hisense- usa.com/support/ register	http://www.hisense- canada.com/support/ productReg.asp	https://hisense.com.mx/ support/register

Disclaimer

Disclaimer: Subscriptions or other payments may be required to access content through some applications. Some or all of the included or downloaded application services in this Hisense device may not function depending on the Internet connection, local limitations of included applications or other reasons outside of Hisense's control. HISENSE EXPRESSLY DISCLAIMS RESPONSIBILITY FOR ANY APPLICATION SERVICE FROM FUNCTIONING AT ANY TIME, FOR CONTENT IN ANY APPLICATION SERVICE, FOR DISRUPTIONS OF SERVICE, LOCAL OR REGIONAL LIMITATIONS, WARRANTIES OF TITLE, NO INFRINGEMENT, AND FOR IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. By purchasing this device, you accept such Disclaimer without any claim on Hisense at any time.

This Quick Setup Guide supports the following models:

32A4K / 32A45K / 32A46K / 32A47K / 32A4FK 40A4K / 40A45K / 40A46K / 40A47K 43A4K / 43A45K / 43A46K / 43A47K

What's in the box

Your Hisense TV comes with the following items:

- TV
- remote control
- 2 base stands

- Quick Setup Guide (this document)
- 1 set of AA or AAA (1.5Vcc) batteries
- Important Safety Information and Warranty Card

4 screws

IMPORTANT:

To prevent accidentally discarding items that came with your TV, be sure to **check ALL of the foam** in the carton box.



- Please check foam for accessories before discarding.
- · Veuillez vérifier la mousse pour qu'il n'y ait pas d'accessoires avant de la jeter.
- · Antes de desechar la espuma, asegúrese de retirar todos los accesorios.

Disclaimer: This Quick Setup Guide is intended as a general guideline to help you set up your TV. Images throughout this document are for illustrative purposes only and may differ from the actual product.

Getting started

Step 1. Attach stand or mount

Before you start using your TV, attach your TV stand or mount it on the wall.

CAUTION:

- Disconnect the AC power cord before installing a stand or a wall mount bracket.
- The LED display on your TV is fragile. Make sure the TV screen is not scratched or damaged by hard objects or from pressure.
- After the installation is complete, make sure the TV is steady on a table or firmly attached to a wall mount, before removing all protective film, if any.

Attach the TV stand

To attach the TV stand legs to your TV:

- 1. Carefully place your TV face down on a clean, soft and flat surface.
- 2. Insert the TV base stands into the bottom slots on your TV.
- 3. Use the screws provided to secure each base stand tightly.



Attach the wall mount bracket (not included)

Before you begin the third-party manufacturer instructions, be sure to do the following things:

- 1. Place the TV face down on a clean, safe and cushioned surface.
- 2. Remove the TV stand if you have already attached it.
- 3. Place spacers (not included) in the corresponding bracket holes.



CAUTION:

- Follow instructions provided with the wall mount bracket. If it is not correctly mounted, the TV may fall and cause property damage or personal injury.
- When you attach the mount, be sure to use spacers (provided by the third-party manufacturer) between the TV and the bracket.
- To prevent internal damage to the TV and to ensure it is mounted securely, be sure to use fixing screws (not included) that are 8.0 10.0 mm in length when measured from the attaching surface of the rear cover.



• We do not recommend hanging the TV on a slanted wall, and when wall mounting make sure your television remains parallel to the wall and does not lean forward.



NOTE:

- If installed on a ceiling or slanted wall, or the television installed is not parallel to the wall, the television may fall and result in property damage or severe personal injury.
- If you have additional questions, please contact the wall mount manufacturer or the retailer from which you purchased the TV.
- The diameter and length of the screws differ depending on the wall mount bracket model.

Step 2. Connect devices to your TV

Check to ensure that you have connected right cables for right ports securely. Loose connections can affect the quality of the picture image and color.

TV Front	TV Back	
	(32")(81.2 cm) (40"/43") (101.6 cm/109.2 cm)	DIGITAL DC SV =: 0.5A(MAX)
 Power button ^{Powe}	r indicator Power cord	Le HEADPHONE
Power indicator	The light is red in standby mode.	VIDEO
Power button	Press the button to turn on / off the TV.	ANT/CABLE
ANT/CABLE	Connect an outdoor VHF/UHF antenna or cable.	HDMI 1(ARC)
HDMI	Connect a High Definition Multimedia Interface (HDMI) cable from an external device.	
AV IN	Connect a composite video cable and left-right audio cables from an external AV device.	
HEADPHONE / 💭	Connect headphones to hear audio from the TV. Headphones with microphones are not supported.	u <mark>o</mark> y
USB	Connect a USB device for browsing photos, music and movies. Hard disks with a total current consumption or impulse current consumption greater than 500mA are not supported.	
DIGITAL AUDIO OUT	Connect an optical cable from an external digital audio system.	
LAN	Connect an Ethernet cable to access a network or the Internet. The TV also has a wireless connectivity feature.	

Step 3. Get your remote ready

The following table shows the buttons on your remote control and describes what they are for.

BUTTON	DESCRIPTION	
	Power on/off	
•	Microphone / Indicator	
INPUT	Change TV input source	
Ŷ	Google Assistant of TV	
L	Accounts & Sign In or switch profile	
\$	Access the settings (direct or through the dashboard in GTV) from any place in the system	
^ / V / < / >	D-pad (up/down/left/right navigation buttons)	
ОК	Confirmation button	
←	Return to the previous place in the menu or app	
n	Press to display the Home screen	
Ъ	Enter to Live tab in launcher/Display the Electronic Program Guide(if support)/Return to Live TV*	
∧ VOL ∨	Volume (up/down)	
∧ CH ∨	Channel (up/down)	
∢× CC	Press to mute or restore sound Hold to display Accessibility menu	
MENU	Press to enter Menu	
►II	Media content control function buttons	
123	Enter Channels/input numbers and special function buttons	
Арр	Quick access buttons to applications	
APPS	Quick access to all applications	

NOTE:

- Buttons listed here are for reference only. Actual remote control may vary depending on model, country/region.
- * Pressing the button in different scenarios will have different responses.

Insert the batteries

- 1. Take off the back cover to open the battery compartment of the remote control.
- 2. Insert two AA or AAA (1.5Vcc) size batteries. Make sure to match the (+) and (-) ends of the batteries with the (+) and (-) ends indicated in the battery compartment.
- 3. Restore the battery compartment cover.

Important information about the remote and batteries

- Discard batteries in a designated disposal area. Do not throw them into a fire.
- Remove old batteries immediately to prevent them from leaking into the battery compartment.
- If you do not intend to use the remote control for a long time, then remove the batteries.
- Battery chemicals can cause a rash. If the batteries leak, clean the battery compartment with a cloth. If chemicals touch your skin then wash it immediately.
- Do not mix old and new batteries.
- Do not mix alkaline, standard (carbon-zinc) or rechargeable (NiCd, NiMH, etc.) batteries.
- Do not continue using the remote if it gets warm or hot.
- · Call our Support Center immediately on the support website.

Remote control range information

- The remote control can work at a distance of up to 26 feet (792.5 cm) in front of the TV set.
- It can work at a 30 degree horizontal or vertical angle.

Pairing the remote control

- 1. Pair the remote to the TV after you power it on. Keep the remote control within 10 feet (304.8 cm) from the TV.
- 2. Press the **Home** button on the remote control, select **\$** icon to enter the **Settings** menu to select **Remotes & Accessories**.
- 3. Press and hold the ← and ♠ button at least 3 seconds to start pairing. Select the remote name, and press the [**OK**] button to start pairing.
- 4. If the remote pairs successfully, a confirmation will display on the screen. If it does not pair successfully, an unsuccessful message will display. Repeat the previous steps.

NOTE:

- If an unknown error occurs with the remote, it could have been caused by interference. Try to remove what's causing the interference and pair the remote again.
- If an unknown error occurs with the remote control while the battery power is normal, you can take out the batteries and press any key for 1~2 seconds, and insert them back. The remote control can work normally.
- The remote cannot be paired to the TV while the TV is in the standby mode.

Step 4. Power on the TV

Plug the power cord into a power outlet.

Your TV will display a launch screen showing the Hisense logo.

Step 5. Complete the first-time setup

The first time you turn on your TV, there is a guided setup to make it easy to connect your TV to the Internet and complete the setup of your TV.

Step 6. Establish a network connection

1. Press the [🏟] button on the remote, and select **Settings** to enter the Settings menu.

2. Select Network & Internet.

Establish a wired network connection



Establish a wireless network connection



And setup is done, congratulations!

Now that you've completed the first-time setup, enjoy your TV!

Troubleshooting

If you are having trouble with your TV, first try turning it off and on again. If this does not fix the problem, check the tips in the following table. If your problem is not listed in the following table, then contact us at one of the phone numbers on page before.

Issues	Possible solutions	
No sound or picture	 Check if the power cord is plugged into a powered AC outlet. Press the Power button on the remote control to activate the unit from 'Standby' mode. Check to see if the LED light is on or not. If it is, then the TV is receiving power. 	
I have connected an external source to my TV and I get no picture and/or sound.	 Check for the correct output connection on the external source and for the correct input connection on the TV. Make sure you have made the correct selection for the input mode for the incoming signal. 	
When I turn on my TV, there is a delay for a few seconds before the picture appears. Is this normal?	 Yes, this is normal. The TV is initializing and searching for previous setting information. 	
The picture is normal but there is no sound	Check the volume settings.Check if 'Mute' mode is set to On.	
Sound but no picture or black and white picture	 If the picture is black and white, unplug the TV from the AC outlet and replug it after 60 seconds. Check that the Color is set to 50 or higher. Try different TV channels. 	
The sound and/or picture is distorted or appears wavy	 An electric appliance may be affecting the TV. Turn off any appliances that are nearby and move it farther away from the TV. Insert the power plug of the TV set into another power outlet. 	
The sound and picture is blurry or cuts out	 If using an external antenna, check the direction, position and connection of the antenna. Adjust the direction of your antenna or reset or fine tune the channel. 	
A horizontal or vertical stripe appears on the picture and/or the picture is shaking	Check if there is an appliance or electric tool nearby that is causing interference.	
The plastic cabinet makes a "clicking" type of sound	• The 'click' sound can occur when the temperature of the television changes. This change causes the television cabinet to expand or contract, which makes the sound. This is normal and the TV is OK.	
The remote control does not work	Confirm that TV still has power and is operational.Change the batteries in the remote control.Check if the batteries are correctly installed.	

Product Specifications

Model Name		32A4K / 32A45K / 32A46K / 32A47K / 32A4FK	40A4K / 40A45K / 40A46K / 40A47K	
Dimension (W × H × D)	Without Stand	28.6 × 16.9 × 3.3 inches 35.4 × 20.3 × 3.3 inches (726 × 430 × 84 mm) (900 × 515 × 85 mm)		
	With Stand	28.6 × 18.6 × 6.3 inches (726 × 472 × 159 mm)	35.4 × 22.2 × 7.2 inches (900 × 565 × 182 mm)	
Weight	Without Stand	8.2 lbs (3.7 kg) 11.9 lbs (5.4 kg)		
	With Stand	8.4 lbs (3.8 kg)	12.1 lbs (5.5 kg)	
TV Stand Width(W × D)		26.5 × 6.3 inches (672 × 159 mm)	31.8 × 7.2 inches (807 × 182 mm)	
Active Screen	n Size (Diagonal)	31.5 inches(80.0 cm)	39.5 inches(100.3 cm)	
Screen Reso	lution	1 920 × 1 080	1 920 × 1 080	
Audio Power		6 W + 6 W	7 W + 7 W	
Power consumption		50 W	70 W	
Power Supply		120 V ~ 60 Hz		
Model Name		43A4K / 43A45K / 43A46K / 43A47K		
Dimension (W × H × D)	Without Stand	38.0 × 22.2 × 3.5 inches (965 × 563 × 88 mm)		
()	With Stand	38.0 × 24.1 × 7.2 inches (965 × 611 × 182 mm)		
Weight	Without Stand	13.4 lbs (6.1 kg)		
	With Stand	13.7 lbs (6.2 kg)		
TV Stand Width(W × D)		32.0 × 7.2 inches (814 × 182 mm)		
Active Screen	n Size (Diagonal)	42.5 inches(107.9 cm)		
Screen Reso	lution	1 920 × 1 080		
Audio Power		7 W + 7 W		
Power consu	mption	75 W		
Power Supply	y	120 V ~ 60 Hz		
Connectivity		Built-in Wireless feature (2x2 dual band)		
Receiving Channels		VHF: 2 - 13, UHF: 14 - 69, CATV: 1 - 125 Digital Terrestrial Broadcast (8VSB): 2 - 69 Digital cable (64/256 QAM): 1 - 135		
Tuner Type		Frequency synthesized		
Receiving System		Analog: NTSC Digital: ATSC/QAM		
Operating Temperature		41°F - 95°F(5°C - 35°C)		
Operating Humidity		20% to 80% non-condensing		
Storage Temperature		5°F to 113°F(-15°C to 45°C)		
Storage Hum	idity	10% to 70%, non-condensing		

Disclaimer: All products, product specifications, and data are subject to change without notice to improve reliability, function, design or otherwise.

Certification and compliance

NOTE: The following warnings only apply to products with such certification.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of [20] cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

(1) This device may not cause interference.

(2) This device must accept any interference, including interference that may cause undesired operation of the device.

This equipment complies with radio frequency exposure limits set forth by the Innovation, Science and Economic Development Canada for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20 cm between the device and the user or bystanders.

This device must not be co-located or operating in conjunction with any other antenna or transmitter.

Declaration of conformity

Trade Name: Hisense Model: 32A4K / 32A45K / 32A46K / 32A47K / 32A4FK / 40A4K / 40A45K / 40A46K / 40A47K / 43A4K / 43A45K / 43A46K / 43A47K Responsible Party: Hisense USA Corporation Service Address: 105 Satellite BLVD Suite I, Suwanee, GA 30024 Service Phone Number: 1-888-935-8880



Manufactured under license from Dolby Laboratories. Dolby, Dolby Audio, and the double-D symbol are trademarks of Dolby Laboratories Licensing Corporation.



For DTS patents, see http://patents.dts.com. Manufactured under license from DTS Licensing Limited. DTS, DTS-HD Master Audio, DTS-HD, Virtual:X, and the DTS-HD logo are registered trademarks or trademarks of DTS, Inc. in the United States and other countries. © 2021 DTS, Inc. ALL RIGHTS RESERVED.



The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. in the United States and other countries.



Environmental protection

This mark indicates that this product should not be disposed together with other domestic garbage, to avoid damage to the environment or human health due to the disposal of uncontrolled waste. Recycle it responsibly for promoting the sustainable reuse of material resources. To return your used device, please use the return systems available in your location or contact the vendor where you purchased your product they could take this product for recycling and protection of the environment.

©2023. All rights reserved. Hisense and the Hisense logo are registered trademarks of Hisense. Other brand and product names are registered trademarks of their respective owners.